


In the Claims

Please amend the claims according to the claim listing provided below.

Cancel claims 1 to 97.

98. (new) A compound of Formula (A):



wherein:

- i) R_1 is aryl or heteroaryl each optionally substituted with 1 to 5 substituents selected independently from the group consisting of C_{1-5} acyl, C_{1-5} acyloxy, C_{2-6} alkenyl, C_{1-4} alkoxy, C_{1-6} alkyl, C_{1-5} alkylcarboxamide, C_{2-6} alkynyl, C_{1-4} alkylsulfonamide, C_{1-4} alkylsulfinyl, C_{1-4} alkylsulfonyl, C_{1-4} alkylthio, C_{1-6} alkylureyl, amino, C_{1-4} alkylamino, C_{2-8} dialkylamino, carbo- C_{1-6} -alkoxy, carboxamide, carboxy, cyano, C_{3-7} cycloalkyl, C_{2-8} dialkylcarboxamide, C_{2-8} dialkylsulfonamide, halogen, C_{1-4} haloalkoxy, C_{1-4} haloalkyl, C_{1-4} haloalkylsulfinyl, C_{1-4} haloalkylsulfonyl, C_{1-4} haloalkylthio, hydroxyl, thiol, nitro, phenoxy and phenyl; and wherein C_{2-6} alkenyl, C_{1-6} alkyl and C_{2-6} alkynyl substituents may be optionally substituted with 1 to 5 substituents selected independently from the group consisting of C_{1-5} acyl, C_{1-5} acyloxy, C_{2-6} alkenyl, C_{1-4} alkoxy, C_{1-6} alkyl, C_{1-5} alkylcarboxamide, C_{2-6} alkynyl, C_{1-4} alkylsulfonamide, C_{1-4} alkylsulfinyl, C_{1-4} alkylsulfonyl, C_{1-4} alkylthio, C_{1-6} alkylureyl, amino, C_{1-4} alkylamino, C_{2-8} dialkylamino, carbo- C_{1-6} -alkoxy, carboxamide, carboxy, cyano, C_{3-7} cycloalkyl, C_{2-8} dialkylcarboxamide, halogen, C_{1-4} haloalkoxy, C_{1-4} haloalkyl, C_{1-4} haloalkylsulfinyl, C_{1-4} haloalkylsulfonyl, C_{1-4} haloalkylthio, hydroxyl, thiol and nitro; or two adjacent substituents together with the ring carbons to which they are bonded form a C_{5-7} cycloalkyl optionally replaced with 1 to 2 oxygen atoms;
- ii) R_2 is C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl or C_{3-7} cycloalkyl;
- iii) R_3 is H, C_{2-6} alkenyl, C_{1-6} alkyl, C_{1-5} alkylcarboxamide, C_{2-6} alkynyl, C_{1-4} alkylsulfonamide, carbo- C_{1-6} -alkoxy, carboxamide, carboxy, cyano, C_{3-7} cycloalkyl, C_{2-8} dialkylcarboxamide, halogen, heteroaryl or phenyl; and wherein C_{2-6} alkenyl, C_{1-6} alkyl, C_{2-6}

alkynyl, C₁₋₄ alkylsulfonamide, C₃₋₇ cycloalkyl, heteroaryl or phenyl may be optionally substituted with 1 to 5 substituents selected independently from the group consisting of C₂₋₆ alkenyl, C₁₋₆ alkyl, C₁₋₄ alkoxy, amino, C₁₋₄ alkylamino, C₂₋₆ alkynyl, C₂₋₈ dialkylamino, halogen, C₁₋₄ haloalkoxy, C₁₋₄ haloalkyl, hydroxyl and thiol;

iv) R_{3a} is selected from the group consisting of H, C₁₋₆ acyl, C₁₋₆ acyloxy, C₂₋₆ alkenyl, C₁₋₆ alkoxy, C₁₋₆ alkyl, C₁₋₆ alkylcarboxamide, C₂₋₆ alkynyl, C₁₋₆ alkylsulfonamide, C₁₋₆ alkylsulfinyl, C₁₋₆ alkylsulfonyl, C₁₋₆ alkylthio, C₁₋₆ alkylureyl, amino, C₁₋₆ alkylamino, C₂₋₈ dialkylamino, carbo-C₁₋₆-alkoxy, carboxamide, carboxy, cyano, C₃₋₇ cycloalkyl, C₂₋₈ dialkylcarboxamide, C₂₋₈ dialkylsulfonamide, halogen, C₁₋₆ haloalkoxy, C₁₋₆ haloalkyl, C₁₋₆ haloalkylsulfinyl, C₁₋₆ haloalkylsulfonyl, C₁₋₆ haloalkylthio, hydroxyl, thiol, nitro and sulfonamide; and

v) R₄, R_{4a}, R₅ and R_{5a} are each independently H, C₁₋₅ acyl, C₁₋₅ acyloxy, C₂₋₆ alkenyl, C₁₋₄ alkoxy, C₁₋₆ alkyl, C₁₋₅ alkylcarboxamide, C₂₋₆ alkynyl, C₁₋₄ alkylsulfonamide, C₁₋₄ alkylsulfinyl, C₁₋₄ alkylsulfonyl, C₁₋₄ alkylthio, C₁₋₆ alkylureyl, carbo-C₁₋₆-alkoxy, carboxamide, carboxy, cyano, C₃₋₇ cycloalkyl, C₂₋₈ dialkylcarboxamide, halogen, C₁₋₄ haloalkoxy, C₁₋₄ haloalkyl, C₁₋₄ haloalkylsulfinyl, C₁₋₄ haloalkylsulfonyl, C₁₋₄ haloalkylthio, hydroxyl, thiol, 5 or 6 membered-heteroaryl, nitro, phenyl or NR₆R₇, and where the 5 or 6 membered-heteroaryl or phenyl is optionally substituted with a substituents selected from the group consisting of H, C₁₋₅ acyl, C₁₋₅ acyloxy, C₂₋₆ alkenyl, C₁₋₄ alkoxy, C₁₋₆ alkyl, C₁₋₅ alkylcarboxamide, C₂₋₆ alkynyl, C₁₋₄ alkylsulfonamide, C₁₋₄ alkylsulfinyl, C₁₋₄ alkylsulfonyl, C₁₋₄ alkylthio, C₁₋₆ alkylureyl, carbo-C₁₋₆-alkoxy, carboxamide, carboxy, cyano, C₃₋₇ cycloalkyl, C₂₋₈ dialkylcarboxamide, halogen, C₁₋₄ haloalkoxy, C₁₋₄ haloalkyl, C₁₋₄ haloalkylsulfinyl, C₁₋₄ haloalkylsulfonyl, C₁₋₄ haloalkylthio, hydroxyl, thiol and nitro;

wherein:


R₆ and R₇ are each independently selected from the group consisting of H, C₁₋₆ alkyl, C₂₋₆ alkenyl, C₃₋₇ cycloalkyl, phenyl and benzyl group; wherein each said C₁₋₆ alkyl, C₂₋₆ alkenyl, C₃₋₇ cycloalkyl, phenyl and benzyl group is optionally substituted with 1 to 5 substituents selected independently from the group consisting of H, C₁₋₅ acyl, C₂₋₆ alkenyl, C₁₋₄ alkoxy, C₁₋₆ alkyl, C₁₋₅ alkylcarboxamide, C₁₋₄ alkylthio, carbo-C₁₋₆-alkoxy, amino, C₁₋₄ alkylamino, C₂₋₈ dialkylamino, carboxamide, carboxy, cyano, C₃₋₇ cycloalkyl, C₂₋₈ dialkylcarboxamide, halogen, C₁₋₄ haloalkoxy, C₁₋₄ haloalkyl, C₁₋₄ haloalkylsulfinyl, C₁₋₄ haloalkylsulfonyl, C₁₋₄ haloalkylthio, hydroxyl, thiol and nitro; or

R₆ and R₇ together with the nitrogen to which they are bonded form a 5, 6 or 7 membered cyclic structure which can be saturated or unsaturated and can contain up to four heteroatoms selected from O, NR₈ or S and said cyclic structure may be optionally substituted with 1 to 5 substituents selected independently from the group consisting of H, C₁₋₅ acyl, C₂₋₆ alkenyl, C₁₋₄ alkoxy, C₁₋₆ alkyl, C₁₋₅ alkylcarboxamide, C₁₋₄ alkylthio, carbo-C₁₋₆-alkoxy, amino, C₁₋₄ alkylamino, C₂₋₈ dialkylamino, carboxamide, carboxy, cyano, C₃₋₇ cycloalkyl, C₂₋₈ dialkylcarboxamide, halogen, C₁₋₄ haloalkoxy, C₁₋₄ haloalkyl, C₁₋₄ haloalkylsulfinyl, C₁₋₄ haloalkylsulfonyl, C₁₋₄ haloalkylthio, hydroxyl, thiol and nitro;

R₈ is H or C₁₋₆ alkyl; or

a pharmaceutically acceptable salt, hydrate or solvate thereof.

99. (new) The compound according to claim 98, having Formula (I):




100. (new) The compound according to claim 98, wherein R₁ is aryl optionally substituted with 1 to 5 substituents selected independently from the group consisting of C₁₋₅ acyl, C₁₋₄ alkoxy, C₁₋₆ alkyl, C₁₋₅ alkylcarboxamide, C₁₋₄ alkylsulfinyl, C₁₋₄ alkylsulfonyl, C₁₋₄ alkylthio, amino, C₁₋₄ alkylamino, C₂₋₈ dialkylamino, carboxamide, carboxy, carbo-C₁₋₆-alkoxy, cyano, C₂₋₈ dialkylcarboxamide, halogen, C₁₋₄ haloalkoxy, C₁₋₄ haloalkyl, hydroxyl, thiol, nitro and phenoxy; and where C₁₋₆ alkyl is optionally substituted with 1 to 3 substituents selected from the group consisting of C₁₋₄ alkoxy, C₁₋₅ alkylcarboxamide, amino, C₁₋₄ alkylamino, C₂₋₈ dialkylamino, halogen, C₁₋₄ haloalkoxy, C₁₋₄ haloalkyl, hydroxyl and thiol.
101. (new) The compound according to claim 98, wherein R₁ is aryl optionally substituted with 1 to 5 substituents selected independently from the group consisting of NO₂, F, Cl, Br, I, CF₃, CF₂CF₃, OCH₃, OCH₂CH₃, OCF₃, OCF₂CF₃, SCH₃, SCH₂CH₃, S(O)CH₃, S(O)CH₂CH₃, S(O)₂CH₃, S(O)₂CH₂CH₃, CO₂H, CN, COCH₃, COCH₂CH₃, CH₃, CH₂CH₃, NHCOCH₃, CH₂OH and OC₆H₅.

102. (new) The compound according to claim 98, wherein R_1 is phenyl optionally substituted with 1 to 5 substituents selected independently from the group consisting of NO_2 , F, Cl, Br, I, CF_3 , CF_2CF_3 , OCH_3 , OCH_2CH_3 , OCF_3 , OCF_2CF_3 , SCH_3 , SCH_2CH_3 , S(O)CH_3 , $\text{S(O)CH}_2\text{CH}_3$, $\text{S(O)}_2\text{CH}_3$, $\text{S(O)}_2\text{CH}_2\text{CH}_3$, CO_2H , CN, COCH_3 , COCH_2CH_3 , CH_3 , CH_2CH_3 , NHCOCH_3 , CH_2OH and OC_6H_5 .
103. (new) The compound according to claim 98, wherein R_1 is selected from the group consisting of benzoxazol-2-yl, quinolin-2-yl, quinolin-3-yl, benzoimidazol-2-yl, and benzothiazol-2-yl each optionally substituted with 1 to 3 substituents selected independently from the group consisting of C_{1-4} alkoxy, C_{1-6} alkyl, amino, C_{1-4} alkylamino, C_{2-8} dialkylamino, carbo- C_{1-6} -alkoxy, carboxamide, carboxy, halogen, C_{1-4} haloalkoxy, C_{1-4} haloalkyl, hydroxyl, thiol and nitro.
104. (new) The compound according to claim 103, wherein R_1 is selected from the group consisting of benzoxazol-2-yl, quinolin-2-yl, benzoimidazol-2-yl, benzothiazol-2-yl, 5-methoxy-benzothiazol-2-yl, 5-chloro-benzothiazol-2-yl, and quinolin-3-yl.
105. (new) The compound according to claim 98, wherein R_2 is C_{1-6} alkyl.
106. (new) The compound according to claim 105 wherein R_2 is CH_3 .
107. (new) The compound according to claim 98 wherein R_3 is H, Cl, Br, CO_2CH_3 , $\text{CO}_2\text{CH}_2\text{CH}_3$, 2-hydroxyethyl, 2-dimethylaminoethyl, 2-diethylaminoethyl, vinyl, CH_3 , CH_2CH_3 , phenyl, 4-methoxyphenyl, 3-methoxyphenyl, 4-fluorophenyl, 4-trifluoromethoxyphenyl, thiophenyl, CO_2H , cyclopropyl, $-\text{CCH}$, $-\text{CH}=\text{CH}-\text{CCH}$ or CN.
108. (new) The compound according to claim 107 wherein R_3 is H, Cl or Br.
109. (new) The compound according to claim 98 wherein R_4 is H, halogen or NR_6R_7 .
110. (new) The compound according to claim 109 wherein R_4 is H, F, $\text{N}(\text{CH}_3)_2$, or pyrrolidin-1-yl.

111. (new) The compound according to claim 98 wherein R_5 is H.

112. (new) The compound according to claim 98, having Formula (II):



wherein:

R_4 is H, C_{1-4} alkoxy, phenyl, halogen, 5 or 6 membered-heteroaryl, hydroxyl, thiol or NR_6R_7 , where the phenyl or heteroaryl group is optionally substituted with 1 to 5 substituents independently selected from the group consisting of C_{1-5} acyl, C_{1-4} alkoxy, C_{1-6} alkyl, C_{1-5} alkylcarboxamide, C_{1-4} alkylsulfonyl, C_{1-4} alkylthio, amino, C_{1-4} alkylamino, C_{2-8} dialkylamino, cyano, C_{2-8} dialkylcarboxamide, halogen, C_{1-4} haloalkoxy, C_{1-4} haloalkyl, hydroxyl, thiol and nitro; and

wherein:


R_6 and R_7 are independently H, C_{1-6} alkyl, or

R_6 and R_7 together with the nitrogen to which they are bonded form a 5, 6 or 7 membered cyclic structure that may contain up to four heteroatoms selected from O, S or N- C_{1-4} alkyl; and

R_5 is H, C_{1-4} alkoxy, C_{1-6} alkyl, carboxamide, carboxy, cyano, halogen, C_{1-4} haloalkoxy, C_{1-4} haloalkyl, hydroxyl, thiol or nitro.

113. The compound according to claim 112, wherein R_4 is H, Cl, F, dimethylamino, diethylamino, pyrrolidin-1-yl, morpholin-1-yl, 4-methylpiperazin-1-yl, 4-ethylpiperazin-1-yl, hydroxyl, thiol, OCH_3 or OCH_2CH_3 ; and R_5 is H or halogen.

114. (new) The compound according to claim 98, having Formula (IVa):



wherein:

R₄ is H, or C₁₋₄ alkoxy; and

R₅ is H, C₁₋₄ alkoxy, C₁₋₆ alkyl, carboxamide, carboxy, cyano, halogen, C₁₋₄ haloalkoxy, C₁₋₄ haloalkyl, hydroxyl, thiol or nitro.

115. The compound according to claim 114, wherein R₄ is OCH₃, and R₅ is H.
116. The compound according to claim 98, selected from the group consisting of:
- (4-Chloro-phenyl)-[3-(2-methyl-2H-pyrazol-3-yl)-phenyl]-amine;
 - [3-(2-Methyl-2H-pyrazol-3-yl)-phenyl]-(4-trifluoromethyl-phenyl)-amine;
 - [3-(2-Methyl-2H-pyrazol-3-yl)-phenyl]-(4-trifluoromethoxy-phenyl)-amine;
 - [3-(2-Methyl-2H-pyrazol-3-yl)-phenyl]-(3-trifluoromethoxy-phenyl)-amine;
 - [3-(2-Methyl-2H-pyrazol-3-yl)-phenyl]-(4-fluoro-phenyl)-amine;
 - (4-Chloro-phenyl)-[4-methoxy-3-(2-methyl-2H-pyrazol-3-yl)-phenyl]-amine;
 - (4-Chloro-phenyl)-[3-(2-isopropyl-2H-pyrazol-3-yl)-phenyl]-amine;
 - (4-Fluoro-phenyl)-[3-(2-isopropyl-2H-pyrazol-3-yl)-phenyl]-amine;
 - [3-(4-Chloro-2-methyl-2H-pyrazol-3-yl)-phenyl]-(4-chloro-phenyl)-amine;
 - [3-(4-Chloro-2-methyl-2H-pyrazol-3-yl)-phenyl]-(4-trifluoromethyl-phenyl)-amine;
 - [3-(4-Chloro-2-methyl-2H-pyrazol-3-yl)-phenyl]-(4-trifluoromethoxy-phenyl)-amine;
 - [3-(4-Chloro-2-methyl-2H-pyrazol-3-yl)-phenyl]-(3-trifluoromethoxy-phenyl)-amine;
 - [3-(4-Chloro-2-methyl-2H-pyrazol-3-yl)-phenyl]-(4-fluoro-phenyl)-amine;
 - [3-(4-Chloro-2-methyl-2H-pyrazol-3-yl)-phenyl]-(3-methyl-4-chloro-phenyl)-amine;
 - [3-(4-Chloro-2-methyl-2H-pyrazol-3-yl)-phenyl]-(3-chloro-4-trifluoromethyl-phenyl)-amine;
 - [3-(4-Chloro-2-methyl-2H-pyrazol-3-yl)-phenyl]-(3,4-difluoro-phenyl)-amine;

[3-(4-Chloro-2-methyl-2H-pyrazol-3-yl)-phenyl]-(3-chloro-phenyl)-amine;
[3-(4-Chloro-2-methyl-2H-pyrazol-3-yl)-phenyl]-(4-methoxy-phenyl)-amine;
[3-(4-Chloro-2-methyl-2H-pyrazol-3-yl)-4-methoxy-phenyl]-(4-chloro-phenyl)-
amine;
(4-Chloro-phenyl)-[3-(4-fluoro-2-methyl-2H-pyrazol-3-yl)-4-methoxy-phenyl]-
amine;
(4-Chloro-phenyl)-[3-(4-fluoro-2-methyl-2H-pyrazol-3-yl)-phenyl]-amine;
[3-(4-Bromo-2-methyl-2H-pyrazol-3-yl)-phenyl]-(2-nitro-phenyl)-amine;
[3-(4-Bromo-2-methyl-2H-pyrazol-3-yl)-phenyl]-(3-chloro-phenyl)-amine;
[3-(4-Bromo-2-methyl-2H-pyrazol-3-yl)-phenyl]-(3,5-bis-trifluoromethyl-phenyl)-
amine;
[3-(4-Bromo-2-methyl-2H-pyrazol-3-yl)-phenyl]-(3-methoxy-phenyl)-amine;
[3-(4-Bromo-2-methyl-2H-pyrazol-3-yl)-phenyl]-(3,4-dimethoxy-phenyl)-amine;
1-{3-[3-(4-Bromo-2-methyl-2H-pyrazol-3-yl)-phenylamino]-phenyl}-ethanone;
[3-(4-Bromo-2-methyl-2H-pyrazol-3-yl)-phenyl]-(3,5-dichloro-phenyl)-amine;
[3-(4-Bromo-2-methyl-2H-pyrazol-3-yl)-phenyl]-(3,5-dimethyl-phenyl)-amine;
N-{3-[3-(4-Bromo-2-methyl-2H-pyrazol-3-yl)-phenylamino]-phenyl}-acetamide;
{3-[3-(4-Bromo-2-methyl-2H-pyrazol-3-yl)-phenylamino]-phenyl}-methanol;
[3-(4-Bromo-2-methyl-2H-pyrazol-3-yl)-phenyl]-(2-methyl-4-chloro-phenyl)-
amine;
[3-(4-Bromo-2-methyl-2H-pyrazol-3-yl)-phenyl]-(4-phenoxy-phenyl)-amine;
[3-(4-Bromo-2-methyl-2H-pyrazol-3-yl)-phenyl]-(3-trifluoromethyl-phenyl)-amine;
[3-(4-Bromo-2-methyl-2H-pyrazol-3-yl)-phenyl]-(3-nitro-phenyl)-amine;
[3-(4-Bromo-2-methyl-2H-pyrazol-3-yl)-phenyl]-(2,3,4-trimethoxy-phenyl)-amine;
[3-(4-Bromo-2-methyl-2H-pyrazol-3-yl)-phenyl]-(3-fluoro-4-methyl-phenyl)-
amine;
[3-(4-Bromo-2-methyl-2H-pyrazol-3-yl)-phenyl]-(2,4-bis-trifluoromethyl-phenyl)-
amine;
[3-(4-Bromo-2-methyl-2H-pyrazol-3-yl)-phenyl]-(3-fluoro-4-methoxy-phenyl)-
amine;
[3-(4-Bromo-2-methyl-2H-pyrazol-3-yl)-phenyl]-(2,3-difluoro-phenyl)-amine;
[3-(4-Bromo-2-methyl-2H-pyrazol-3-yl)-phenyl]-(2,4-difluoro-phenyl)-amine;
[3-(4-Bromo-2-methyl-2H-pyrazol-3-yl)-phenyl]-(4-chloro-phenyl)-amine;

[3-(4-Bromo-2-methyl-2H-pyrazol-3-yl)-phenyl]-(4-fluoro-phenyl)-amine;
[3-(4-Bromo-2-methyl-2H-pyrazol-3-yl)-phenyl]-(4-methoxy-phenyl)-amine;
Benzo[1,3]dioxol-5-yl-[3-(4-bromo-2-methyl-2H-pyrazol-3-yl)-phenyl]-amine;
[3-(4-Bromo-2-methyl-2H-pyrazol-3-yl)-phenyl]-(3-trifluoromethoxy-phenyl)-
amine;
[3-(4-Bromo-2-methyl-2H-pyrazol-3-yl)-phenyl]-(4-bromo-phenyl)-amine;
[3-(4-Bromo-2-methyl-2H-pyrazol-3-yl)-phenyl]-(4-methylsulfanyl-phenyl)-amine;
4-[3-(4-Bromo-2-methyl-2H-pyrazol-3-yl)-phenylamino]-benzonitrile;
[3-(4-Bromo-2-methyl-2H-pyrazol-3-yl)-phenyl]-(4-trifluoromethyl-phenyl)-amine;
[3-(4-Bromo-2-methyl-2H-pyrazol-3-yl)-phenyl]-(4-trifluoromethoxy-phenyl)-
amine;
[3-(4-Bromo-2-methyl-2H-pyrazol-3-yl)-phenyl]-(4-methanesulfonyl-phenyl)-
amine;
[3-(4-Bromo-2-methyl-2H-pyrazol-3-yl)-phenyl]-(3-chloro-4-fluoro-phenyl)-amine;
[3-(4-Bromo-2-methyl-2H-pyrazol-3-yl)-phenyl]-(3,4-dichloro-phenyl)-amine;
[3-(4-Bromo-2-methyl-2H-pyrazol-3-yl)-phenyl]-(3-methyl-4-chloro-phenyl)-
amine;
[3-(4-Bromo-2-methyl-2H-pyrazol-3-yl)-phenyl]-(3,5-difluoro-phenyl)-amine;
[3-(4-Bromo-2-methyl-2H-pyrazol-3-yl)-phenyl]-(3-chloro-4-trifluoromethyl-
phenyl)-amine;
[3-(4-Bromo-2-methyl-2H-pyrazol-3-yl)-phenyl]-(3,4-difluoro-phenyl)-amine;
[3-(4-Bromo-2-methyl-2H-pyrazol-3-yl)-phenyl]-(3-methyl-4-fluoro-phenyl)-
amine;
[3-(4-Bromo-2-methyl-2H-pyrazol-3-yl)-phenyl]-(2-methyl-4-fluoro-phenyl)-
amine;
[3-(4-Bromo-2-methyl-2H-pyrazol-3-yl)-phenyl]-(4-iodo-phenyl)-amine;
[3-(4-Bromo-2-methyl-2H-pyrazol-3-yl)-phenyl]-(2-methoxy-5-methyl-phenyl)-
amine;
[3-(4-Bromo-2-methyl-2H-pyrazol-3-yl)-5-(*N,N*-dimethylamino)-phenyl]-(4-
chloro-phenyl)-amine;
[3-(4-Bromo-2-methyl-2H-pyrazol-3-yl)-5-fluoro-phenyl]-(4-chloro-phenyl)-amine;
[3-(4-Bromo-2-methyl-2H-pyrazol-3-yl)-5-pyrrolidin-1-yl-phenyl]-(4-chloro-
phenyl)-amine;

[3-(4-Bromo-2-methyl-2H-pyrazol-3-yl)-4-methoxy-phenyl]-(4-chloro-phenyl)-amine;
[3-(4-Bromo-2-isopropyl-2H-pyrazol-3-yl)-phenyl]-(4-fluoro-phenyl)-amine;
[3-(4-Bromo-2-isopropyl-2H-pyrazol-3-yl)-phenyl]-(4-chloro-phenyl)-amine;
[3-(4-Bromo-2-methyl-2H-pyrazol-3-yl)-phenyl]-naphthalen-1-yl-amine; and
[3-(4-Bromo-2-methyl-2H-pyrazol-3-yl)-phenyl]-naphthalen-2-yl-amine;
Benzoxazol-2-yl-[3-(4-bromo-2-methyl-2H-pyrazol-3-yl)-phenyl]-amine;
[3-(4-Bromo-2-methyl-2H-pyrazol-3-yl)-phenyl]-quinolin-2-yl-amine;
(1H-Benzoimidazol-2-yl)-[3-(4-bromo-2-methyl-2H-pyrazol-3-yl)-phenyl]-amine;
Benzothiazol-2-yl-[3-(4-bromo-2-methyl-2H-pyrazol-3-yl)-phenyl]-amine;
[3-(4-Bromo-2-methyl-2H-pyrazol-3-yl)-phenyl]-(5-methoxy-benzothiazol-2-yl)-amine;
[3-(4-Bromo-2-methyl-2H-pyrazol-3-yl)-phenyl]-quinolin-3-yl-amine
and
[3-(4-Bromo-2-methyl-2H-pyrazol-3-yl)-phenyl]-(5-chloro-benzothiazol-2-yl)-amine; or
a pharmaceutically acceptable salt, hydrate or solvate thereof.

117. (new) A pharmaceutical composition comprising a compound according to claim 98 or 116, and a pharmaceutically acceptable carrier.
118. (new) A method for prophylaxis or treatment of reducing platelet aggregation in an individual comprising administering to said individual in need of such prophylaxis or treatment a compound according to claim 98 or 116.
119. (new) A method for prophylaxis or treatment of reducing a risk of blood clot formation in an angioplasty or coronary bypass surgery individual, comprising administering to said individual in need of such prophylaxis or treatment a compound according to claim 98 or 116.
120. (new) A method for prophylaxis or treatment of reducing risk of blood clot formation in an individual suffering from atrial fibrillation, comprising administering to said individual in need of such prophylaxis or treatment a compound according to claim 98 or 116.

121. (new) A method for prophylaxis or treatment of an individual suffering from at least one of the indications selected from the group consisting of behavioral disorder, drug induced psychosis, excitative psychosis, Gilles de la Tourette's syndrome, manic disorder, organic or NOS psychosis, psychotic disorder, psychosis, acute schizophrenia, chronic schizophrenia and NOS schizophrenia comprising administering to said individual in need of such prophylaxis or treatment a dopamine D2 receptor antagonist and a compound according to claim 98 or 116.
122. (new) A method for prophylaxis or treatment of a sleep disorder in an individual comprising administering to said individual in need of such prophylaxis or treatment a compound according to claim 98 or 116.